

# Servicebeschrijvingen ECK-ID

SchoolID Services

## Inhoud

DOCUMENT INFORMATIE .....	2
Status .....	2
Versiehistorie.....	2
Betrokken/geraadpleegd.....	2
Distributie en goedkeuring .....	2
1. SAMENVATTING.....	3
2. SERVICES.....	4
2.1. Create ECK ID .....	4
2.2. Change ECK ID (substitution) .....	5
2.3. Batch creation of ECK IDs.....	6
2.4. Retrieving chains and sectors .....	8
2.5. Ping operation.....	9
3. SAMPLE MESSAGES .....	11
3.1. RetrieveEckID.....	11
3.1.1. Request .....	11
3.1.2. Response .....	11
3.1.3. Example error response.....	12
3.2. Replace EckID .....	13
3.2.1. Request .....	13
3.2.2. Response .....	14
3.3. Batch .....	14
3.3.1. Submit batch request .....	14
3.3.2. Submit batch response .....	15
3.3.3. Retrieve batch request.....	16
3.3.4. Retrieve batch response .....	17
4. COMMON TYPES .....	19
5. EXCEPTIONS.....	20

## Document informatie

### Status

Auteur	Kennisset, Marc Fleischeuers
Versie	1.0.9
Versiedatum	23 januari 2017
Status	Goedgekeurd

### Versiehistorie

Versie	Datum	Auteur	Beschrijving
0.9	6 april 2016	Marc Fleischeuers	Assembled from project service descriptions
0.91	18 april 2016	Marc Fleischeuers	Naar aanleiding van KAT Edu-K overleg
0.92	27 mei 2016	Marc Fleischeuers	Exceptions in lijn met realisatie; hpgn format; sample SOAP messages
1.0	12 juli 2017	Marc Fleischeuers	
1.0.9	23 januari 2017	Marc Fleischeuers	Wijzigingen wetgeving (introductie stampseudoniem)

### Betrokken/geraadpleegd

Betrokken	Rol

### Distributie en goedkeuring

Versie	Datum	Goedgekeurd (indien van toepassing)
1.0.9	21-3-2017	Tactisch overleg Toegang tot leermateriaal

## **1. Samenvatting**

## 2. Services

### 2.1. Create Stem Pseudonym

<b>SERVICE DESCRIPTION</b>	<b>retrieveStempseudonym</b>
<b>CONTEXT</b>	This service is called by allowed LAS systems to obtain a stem pseudonym for, for instance, a just enrolled student. This function is called during the process of enrollment, and its availability is business critical.
<b>INPUT</b>	<ul style="list-style-type: none"> <li>• hpgn: HPgn, oblig, hashed PGN;</li> </ul>
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>• The calling system, identified by its OIN in the SerialNumber field of the Certificate, is checked against the list of allowed callers (NotAllowedCallerException on failure)</li> <li>• The calling school is identified from the OIN in the wsa:from SOAP header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> <li>• hashed PGN: format validations (InvalidHPgnException on failure)</li> </ul>
<b>OPERATION</b>	The service derives a stem pseudonym from the input. The derivation of a valid stem pseudonym is performed by a component that is specified in software configuration.
<b>OUTPUT</b>	stempseudonym: The generated stem pseudonym
<b>EXCEPTIONS</b>	<ul style="list-style-type: none"> <li>• NotAllowedCallerException</li> <li>• HashOperationException (indicates server configuration error)</li> </ul>
<b>REMARKS</b>	<ul style="list-style-type: none"> <li>•</li> </ul>

### 2.2. Create ECK ID

<b>SERVICE DESCRIPTION</b>	<b>retrieveEckId</b>
<b>CONTEXT</b>	This service is called by allowed LAS systems to obtain a ECK ID for, for instance, a just enrolled student. This function is called during the process of enrollment, and its availability is business critical.
<b>INPUT</b>	<ul style="list-style-type: none"> <li>• Stempseudonym: Stem pseudonym, obtained with 'retrieveStempseudonym'</li> <li>• chainID: xsd:string, oblig, Identifier for ECK chain</li> <li>• sectorID: xsd:string, oblig, Identifier for educational sector</li> </ul>
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>• The calling system, identified by its OIN in the SerialNumber field of the Certificate, is checked against the list of allowed callers (NotAllowedCallerException on failure)</li> <li>• The calling school is identified from the OIN in the wsa:from SOAP header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> <li>• Stem pseudonym, SectorID, ChainID: format validations (Format Exception specific for argument on failure, e.g. InvalidStemPseudonymException, InvalidChainIdException and InvalidSectorIdException).</li> <li>• SectorID is one of the IDs of educational sectors (InvalidSectorIdException on failure).</li> <li>• ChainID is one of the IDs in chains (InvalidChainIdException on failure)</li> <li>• Hashed PGN is not in substitutionList.old (BlockedHPgnException on failure)</li> </ul>
<b>OPERATION</b>	<p>The service combines the three inputs and from the result derives a valid ECK ID. The derivation of a valid ECK ID is performed by a component that is specified in software configuration.</p> <p>If the provided stem pseudonym is in substitutionList.new and sectorID is equal to the substitutionlist.sectorID and today is later than substitutiontable.effectivedate, the previous stem pseudonym is used to derive the ECK ID from.</p>
<b>OUTPUT</b>	eckID: EckID, The derived ECK ID

<b>EXCEPTIONS</b>	<ul style="list-style-type: none"> <li>InvalidSectorIdException InvalidChainIdException InvalidHPgnException</li> <li>BlockedStempseudonymException</li> <li>NotAllowedCallerException</li> <li>HashOperationException (indicates server configuration error)</li> </ul>
<b>REMARKS</b>	<ul style="list-style-type: none"> <li>chainID, sectorID are in the form of OBK URN's. Retrieve these values using the retrieveChains, retrieveSectors operations respectively.</li> <li>eckID is in the form of a URL: <a href="https://id.school/2015-09/[128-char hex string]">https://id.school/2015-09/[128-char hex string]</a>. Currently this url resolves to a static page containing general information about the ECK ID.</li> </ul>

### 2.3. Change ECK ID (substitution)

<b>SERVICE DESCRIPTION</b>	<b>replaceEckId</b>
<b>CONTEXT</b>	This service is called when a school administration needs to indicate that a student is assigned a new PGN by the authorities. A change of PGN number is handled as follows: the old and the new stem pseudonyms, the sectorID and chainID are recorded in the database; subsequent requests for the stem pseudonym are rejected, and for requests with the new stem pseudonym and the same ChainID and SectorID, the old stem pseudonym is used to derive the ECK ID from. See also service description Create ECK ID.
<b>INPUT</b>	<ul style="list-style-type: none"> <li>stempseudonymOld, stempseudonymNew: oblig, resp. previous stem pseudonym and new stem pseudonym</li> <li>chainID: xsd:string, oblig, Identifier for ECK chain</li> <li>sectorID: xsd:string, oblig, Identifier for educational sector</li> <li>effectiveDate: xsd:date, optional, 'now' if not given, date and time that the change should take effect</li> </ul>
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCallerException on failure)</li> <li>The calling school is identified from the OIN in the wsa:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> <li>Format validations on input arguments (format Exception specific for argument on failure).</li> <li>SectorID is one of the IDs of educational sectors (InvalidSectorIdException on failure).</li> <li>ChainID is one of the IDs in chains (InvalidChainIdException on failure)</li> <li>Old stempseudonym is not already in the substitution table (old and new) (BlockedStempseudonymException otherwise)</li> <li>New stempseudonym is not already in the substitution table (old and new) (BlockedStempseudonymException otherwise)</li> <li>Old and new stem pseudonyms are different (substitutionOperationException otherwise)</li> <li>Effective date: if given, is valid and in the future (xml parse error in case of invalid date format)</li> </ul>
<b>OPERATION</b>	Old stem pseudonym, new stem pseudonym, chain ID and sectorID are recorded in the substitution table, and a ECK ID for the new stem pseudonym is derived using function 'Create ECK ID'.
<b>OUTPUT</b>	eckID: EckId, The derived ECK ID for the new hpgn
<b>EXCEPTIONS</b>	<ul style="list-style-type: none"> <li>InvalidSectorIdException</li> <li>InvalidChainIdException</li> <li>InvalidStempseudonymException with information on which stem pseudonym is invalid, and why</li> <li>BlockedStempseudonymException</li> <li>SubstitutionOperationException</li> <li>NotAllowedCallerException</li> </ul>

<b>REMARKS</b>	<ul style="list-style-type: none"> <li>• HashOperationException (indicates server configuration error)</li> <li>• chainID, sectorID are in the form of OBK URN's. Retrieve these values using the retrieveChains, retrieveSectors operations respectively.</li> <li>• eckID is in the form of a URL: <a href="https://id.school/2015-09/[128-char hex string]">https://id.school/2015-09/[128-char hex string]</a>. Currently this url resolves to a static page containing info about the ECK ID.</li> </ul>
----------------	---

## 2.4. Batch creation of stem pseudonyms

<b>SERVICE DESCRIPTION</b>	<b>submitStempseudonymBatch</b>
<b>CONTEXT</b>	This service is called by allowed LAS systems to submit a list of stem pseudonyms, for a single Sector and a single Chain. The system processes the list and makes a corresponding list of stem pseudonyms available for retrieval (see retrieveEckBatch).
<b>INPUT</b>	<ul style="list-style-type: none"> <li>• stempseudonymList: a list of 1..20.000<sup>1</sup> <ul style="list-style-type: none"> <li>○ int: xsd:int, oblig, sequence number</li> <li>○ hPgn: HPgn hashed PGNs</li> </ul> </li> </ul>
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>• The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCaller Exception on failure)</li> <li>• The calling school is identified from the OIN in the wsa:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> <li>• The system validates the size of the input (TemporaryBannedException if too many hPgn's are submitted)</li> <li>• All indexes are unique (DuplicateIndexHPgnListException otherwise)</li> </ul>
<b>OPERATION</b>	The service creates a stem pseudonym for each hashed PGN in the input list and adds it to the list of generated stem pseudonyms for output. If the list does not contain a hashed PGN or if the hashed PGN was previously indicated as changed, no stem pseudonym will be created and a message to indicate the nature of the failure will be added to the list of failed items for output.
<b>OUTPUT</b>	<ul style="list-style-type: none"> <li>• batchIdentifier: xsd:string, identifier of the batch request. This identifier can be used to obtain the result, using retrieveEckBatch</li> </ul>
<b>EXCEPTIONS</b>	<ul style="list-style-type: none"> <li>• InvalidSectorIdException InvalidChainIdException InvalidHPgnException</li> <li>• NotAllowedCallerException</li> <li>• HashOperationException (indicates server configuration error)</li> <li>• DuplicateIndexHPgnListException</li> </ul>
<b>REMARKS</b>	<p>The use of this service is limited to prevent abuse:</p> <ul style="list-style-type: none"> <li>• A batch may contain at most 20.000 hashed PGNs</li> <li>• A batch operation may be submitted at most 3 times per 24 hours</li> </ul> <p>These limits are configured in the software and can be modified. Schools that exceed these limits are temporarily banned from submitting batch requests. Schools may contact Kennisset servicedesk for information and for lifting of the bans. Schools may submit multiple batch requests, as long as the limits are observed. Batches are processed in the order in which they occur.</p> <p>A batch result is available within one hour after submission of the request. Batch results are removed after successful retrieval. The system may remove batch results that are not retrieved within 24 hours.</p>

## 2.5. Batch creation of ECK IDs

<b>SERVICE DESCRIPTION</b>	<b>submitEckIdBatch</b>
----------------------------	-------------------------

<sup>1</sup> The size of the array is configured in software. Actual limit may differ.

<b>CONTEXT</b>	This service is called by allowed LAS systems to submit a list of stem pseudonyms, for a single Sector and a single Chain. The system processes the list and makes a corresponding list of ECK IDs available for retrieval (see retrieveEckBatch).
<b>INPUT</b>	<ul style="list-style-type: none"> <li>• stempseudonymList: a list of 1..20.000<sup>2</sup> <ul style="list-style-type: none"> <li>○ int: xsd:int, oblig, sequence number</li> <li>○ stempseudonym: Stem pseudonym</li> </ul> </li> <li>• chainID: xsd:string, oblig, Identifier for ECK chain</li> <li>• sectorID: xsd:string, oblig, Identifier for educational sector</li> </ul>
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>• The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCaller Exception on failure)</li> <li>• The calling school is identified from the OIN in the wsaf:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> <li>• The system validates the size of the input (TemporaryBannedException if too many stem pseudonyms are submitted)</li> <li>• All indexes are unique (DuplicateIndexHPgnListException otherwise)</li> <li>• SectorID is one of the IDs of educational sectors (InvalidSectorIdException on failure).</li> <li>• ChainID is one of the IDs in chains (InvalidChainIdException on failure)</li> <li>• Stempseudonyms is not in substitutionList.old (offending stem pseudonym is added to the failed list for output)</li> </ul>
<b>OPERATION</b>	The service creates a ECK ID for each hashed PGN in the input list and adds it to the list of generated ECK IDs for output. If the list does not contain a hashed PGN or if the hashed PGN was previously indicated as changed, no ECK ID will be created and a message to indicate the nature of the failure will be added to the list of failed PGNs for output. If the provided hashed PGN is in substitutionList.new and sectorID is equal to the substitutionlist.sectorID and today is later than substitutiontable.effectivedate, the previous hashed PGN is used to derive the ECK ID from.
<b>OUTPUT</b>	<ul style="list-style-type: none"> <li>• batchIdentifier: xsd:string, identifier of the batch request. This identifier can be used to obtain the result, using retrieveEckBatch</li> </ul>
<b>EXCEPTIONS</b>	<ul style="list-style-type: none"> <li>• InvalidSectorIdException InvalidChainIdException InvalidHPgnException</li> <li>• BlockedHPgnException</li> <li>• NotAllowedCallerException</li> <li>• HashOperationException (indicates server configuration error)</li> <li>• DuplicateIndexHPgnListException</li> </ul>
<b>REMARKS</b>	<p>The use of this service is limited to prevent abuse:</p> <ul style="list-style-type: none"> <li>• A batch may contain at most 20.000 hashed PGNs</li> <li>• A batch operation may be submitted at most 3 times per 24 hours</li> </ul> <p>These limits are configured in the software and can be modified. Schools that exceed these limits are temporarily banned from submitting batch requests. Schools may contact Kennisset servicedesk for information and for lifting of the bans. Schools may submit multiple batch requests, as long as the limits are observed. Batches are processed in the order in which they occur.</p> <p>A batch result is available within one hour after submission of the request. Batch results are removed after successful retrieval. The system may remove batch results that are not retrieved within 24 hours.</p>
<b>SERVICE DESCRIPTION</b>	<b>retrieveEckIdBatch</b>
<b>CONTEXT</b>	This service is called by allowed LAS systems to retrieve the status and result of a batch request.

<sup>2</sup> The size of the array is configured in software. Actual limit may differ.



<b>INPUT</b>	<ul style="list-style-type: none"> <li>batchIdentifier: xsd:string, oblig, the batch identifier obtained in the response from a batch submission (see submitEckIdBatch)</li> </ul>
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCallerException on failure)</li> <li>The calling school is identified from the OIN in the wsa:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> <li>The system validates the frequency of calls (SchoolTemporaryBlockedException or BatchTemporaryBlockedException if there are too many calls registered)</li> <li>The batch result can be retrieved at most once; ContentAlreadyRetrievedException is returned if the batch was retrieved earlier</li> <li>If the batch indicated by the input is purged, already retrieved, or not ready yet, a NotFinishedException is returned</li> </ul>
<b>OPERATION</b>	The service retrieves the batch result (either StempseudonymBatch or EckIdBatch), if available, and returns it to the caller. If an error during check or processing occurs, the error is returned.
<b>OUTPUT</b>	<ul style="list-style-type: none"> <li>Success: an optional list of 1..20000<sup>3</sup>: <ul style="list-style-type: none"> <li>Index: int, the sequence number of the corresponding entry from the input</li> <li>EckId: EckId, the ECK ID of the entry indicated by the sequence number from the input</li> </ul> </li> <li>Failed: an optional list of 1..20000<sup>4</sup>: <ul style="list-style-type: none"> <li>Index: int, the sequence number of the corresponding entry from the input</li> <li>errorMessage: string, indication of the error that occurred when computing the ECK ID</li> </ul> </li> </ul>
<b>EXCEPTIONS</b>	<ul style="list-style-type: none"> <li>InvalidSectorIdException</li> <li>InvalidChainIdException</li> <li>InvalidHPgnException</li> <li>BlockedHPgnException</li> <li>NotAllowedCallerException</li> <li>HashOperationException (indicates server configuration error)</li> <li>SchoolTemporaryBlockedException, BatchTemporaryBlockedException</li> <li>ContentAlreadyRetrievedException</li> <li>NotFinishedException</li> <li></li> </ul>
<b>REMARKS</b>	<p>The use of this service is limited to prevent abuse: a batch retrieval may be attempted at most once per 15 minutes (software configurable; actual limit may differ). In case this limit is exceeded, the offending school is temporarily banned from using this service. Schools may contact Kennisset servicedesk for more information and to lift the ban.</p> <p>A batch result is available within one hour after submission of the request. Batch results are removed after successful retrieval. Batch results that are not retrieved can be removed after 24 hours.</p> <p>In the output of this function, both success and failure are optional arrays. If none of the input fail, the response will contain only 'success' values. If none of the input succeed, the response will contain only 'failure'.</p>

## 2.6. Retrieving chains and sectors

<b>SERVICE DESCRIPTION</b>	<b>retrieveChains</b>
----------------------------	-----------------------

<sup>3</sup> Limit is set in in software configuration; actual values may differ

<sup>4</sup> Idem

<b>CONTEXT</b>	This service is called by allowed LAS systems to obtain the list of chain parties for which an ECK ID can be derived. As this list changes rarely, this service will not be called often, probably not more than once per day per LAS.
<b>INPUT</b>	none
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCallerException on failure)</li> <li>The calling school is identified from the OIN in the wsa:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> </ul>
<b>OPERATION</b>	The service retrieves the list of active Chain Parties
<b>OUTPUT</b>	List of 1 or more : <ul style="list-style-type: none"> <li>Id: xsd:string, Identifier of chain that can be used to create ECK IDs for this chain</li> <li>Name: xsd:string, unique and short name for this chain</li> <li>Description: xsd:string, human-readable description for this chain</li> <li>lastEdited: xsd:date, last time this entry was modified</li> </ul>
<b>EXCEPTIONS</b>	NotAllowedCallerException
<b>REMARKS</b>	<ul style="list-style-type: none"> <li>Currently, only one chain is available in the system, the ECK chain. It's value is <a href="http://purl.edustandaard.nl/begrippenkader/e7ec7d3c-c235-4513-bfb6-e54e66854795">http://purl.edustandaard.nl/begrippenkader/e7ec7d3c-c235-4513-bfb6-e54e66854795</a></li> </ul>

<b>SERVICE DESCRIPTION</b>	<b>retrieveSectors</b>
<b>CONTEXT</b>	This service is called by allowed LAS systems to obtain the list of school types for which an ECK ID can be derived. As this list changes rarely, this service will not be called often, probably not more than once per day per LAS.
<b>INPUT</b>	none
<b>VALIDATIONS</b>	<ul style="list-style-type: none"> <li>The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCallerException on failure)</li> <li>The calling school is identified from the OIN in the wsa:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li> </ul>
<b>OPERATION</b>	Retrieve the list of active SectorIDs from the database.
<b>OUTPUT</b>	List of 1 or more : <ul style="list-style-type: none"> <li>Id: xsd:string, Identifier of sector that can be used to create ECK IDs for this sector</li> <li>Name: xsd:string, unique and short name for this sector</li> <li>Description: xsd:string, human-readable description for this sector</li> <li>lastEdited: xsd:date, last time this entry was modified</li> </ul>
<b>EXCEPTIONS</b>	NotAllowedCallerException
<b>REMARKS</b>	<ul style="list-style-type: none"> <li>Currently, thee educational sectors are available in the system: <ul style="list-style-type: none"> <li>Primair onderwijs: <a href="http://purl.edustandaard.nl/begrippenkader/512e4729-03a4-43a2-95ba-758071d1b725">http://purl.edustandaard.nl/begrippenkader/512e4729-03a4-43a2-95ba-758071d1b725</a></li> <li>VO: <a href="http://purl.edustandaard.nl/begrippenkader/2a1401e9-c223-493b-9b86-78f6993b1a8d">http://purl.edustandaard.nl/begrippenkader/2a1401e9-c223-493b-9b86-78f6993b1a8d</a></li> <li>MBO: <a href="http://purl.edustandaard.nl/begrippenkader/f3ac3fbb-5eae-49e0-8494-0a44855fff25">http://purl.edustandaard.nl/begrippenkader/f3ac3fbb-5eae-49e0-8494-0a44855fff25</a></li> </ul> </li> </ul> <p>The names, descriptions and values are taken from OBK.</p>

## 2.7. Ping operation

<b>SERVICE DESCRIPTION</b>	<b>pingRequest</b>
----------------------------	--------------------

<b>CONTEXT</b>	This service is called by allowed LAS systems to verify the service is alive.
<b>INPUT</b>	none
<b>VALIDATIONS</b>	<ul style="list-style-type: none"><li>• The calling system identified by its OIN in the Certificate is checked against the list of allowed callers (NotAllowedCallerException on failure)</li><li>• The calling school is identified from the OIN in the wsa:from header. If the school is not in the list of allowed schools, a NotAllowedCallerException will be thrown</li></ul>
<b>OPERATION</b>	Verify the database is available for operation
<b>OUTPUT</b>	<ul style="list-style-type: none"><li>• Available: Boolean, the system is available (true) or not (false)</li><li>• applicationVersion: string, identifier for the implementation version</li><li>• systemTime: xsd:dateTime, timestamp of the current system time</li></ul>
<b>EXCEPTIONS</b>	NotAllowedCallerException
<b>REMARKS</b>	<ul style="list-style-type: none"><li>•</li></ul>

## 3. Sample Messages

Please note, input arguments are provided as sample only and may not be valid in production environments.

### 3.1. RetrieveEckID

#### 3.1.1. Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://id.school/eck/schemas/v1_0"
  xmlns:a="http://www.w3.org/2005/08/addressing">
  <soapenv:Header>
    <a:Action soapenv:mustUnderstand="1">
      http://id.school/eck/schemas/v1_0/retrieveEckId
    </a:Action>
    <a:From soapenv:mustUnderstand="1">
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
12345678901234567890
      </a:Address>
    </a:From>
    <a:MessageID soapenv:mustUnderstand="1">
      uuid:218f8239-9952-4e19-8176-38f629967e3c
    </a:MessageID>
    <a:To soapenv:mustUnderstand="1">
      https://service-a.id.school/eck/ws/201509
    </a:To>
  </soapenv:Header>
  <soapenv:Body>
    <v1:retrieveEckIdRequest>
      <v1:stempseudonym>123456789</v1:stempseudonym>
      <v1:chainId>
        http://purl.edustandaard.nl/begrippenkader/e7ec7d3c-c235-4513-bfb6-
e54e66854795
      </v1:chainId>
      <v1:sectorId>
        http://purl.edustandaard.nl/begrippenkader/512e4729-03a4-43a2-95ba-
758071d1b725
      </v1:sectorId>
    </v1:retrieveEckIdRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

#### 3.1.2. Response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <Action xmlns="http://www.w3.org/2005/08/addressing">
      http://id.school/eck/schemas/v1_0/SchoolID/retrieveEckIdResponse
```

```

</Action>
<MessageID xmlns="http://www.w3.org/2005/08/addressing">
  urn:uuid:f80d16f5-e526-4754-b3f8-76995138de7c
</MessageID>
<To xmlns="http://www.w3.org/2005/08/addressing">
  http://www.w3.org/2005/08/addressing/anonymous?oin=
12345678901234567890
</To>
<RelatesTo xmlns="http://www.w3.org/2005/08/addressing">
  uuid:7b44c0c9-a8eb-45ae-9aa1-2af9599f3375
</RelatesTo>
<From xmlns="http://www.w3.org/2005/08/addressing">
  <Address>
    http://www.w3.org/2005/08/addressing/anonymous?oin=
00000003272400000000
  </Address>
</From>
</soap:Header>
<soap:Body>
  <retrieveEckIdResponse xmlns="http://id.school/eck/schemas/v1_0">
    <eckId>
      https://id.school/pilot/8078d3...28bc85
    </eckId>
  </retrieveEckIdResponse>
</soap:Body>
</soap:Envelope>

```

### 3.1.3. Example error response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <Action xmlns="http://www.w3.org/2005/08/addressing">
      http://id.school/eck/schemas/v1_0/SchoolID/retrieveEckId/Fault/NotAllowedCa
      llerException
    </Action>
    <MessageID xmlns="http://www.w3.org/2005/08/addressing">
      urn:uuid:f8a78500-5e82-4fe5-9853-eaab78d819aa</MessageID>
    <To xmlns="http://www.w3.org/2005/08/addressing">
      http://www.w3.org/2005/08/addressing/anonymous?oin=
12345678901234567890
    </To>
    <RelatesTo xmlns="http://www.w3.org/2005/08/addressing">
      uuid:218f8239-9952-4e19-8176-38f629967e3c</RelatesTo>
    <From xmlns="http://www.w3.org/2005/08/addressing">
      <Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
00000003272400000000
      </Address>

```

```

</From>
</soap:Header>
<soap:Body>
  <soap:Fault>
    <faultcode>soap:Server</faultcode>
    <faultstring>
      Uw Bevoegd Gezag is nog niet geautoriseerd voor het gebruik
      van de Nummervoorziening.
    </faultstring>
  </soap:Fault>
</soap:Body>
</soap:Envelope>

```

## 3.2. Replace EckID

### 3.2.1. Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://id.school/eck/schemas/v1_0">
  <soapenv:Header xmlns:wsa="http://www.w3.org/2005/08/addressing">
    <wsa:Action soapenv:mustUnderstand="1">
      http://id.school/eck/schemas/v1_0/replaceEckId
    </wsa:Action>
    <wsa:From soapenv:mustUnderstand="1">
      <wsa:Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
        12345678901234567890
      </wsa:Address>
    </wsa:From>
    <wsa:MessageID soapenv:mustUnderstand="1">
      uuid:bb3af1a4-55fe-418f-9d65-87217ebe4cc7
    </wsa:MessageID>
    <wsa:To soapenv:mustUnderstand="1">
      https://service-a.id.school/eck/ws/201509
    </wsa:To>
  </soapenv:Header>
  <soapenv:Body>
    <v1:replaceEckIdRequest>
      <v1:stempseudonymOld>Antoinette</v1:stempseudonymOld>
      <v1:stempseudonymNew>Beatrijs</v1:stempseudonymNew>
      <v1:chainId>
        http://purl.edustandaard.nl/begrippenkader/e7ec7d3c-c235-4513-
        bfb6-e54e66854795
      </v1:chainId>
      <v1:sectorId>
        http://purl.edustandaard.nl/begrippenkader/2a1401e9-c223-493b-
        9b86-78f6993b1a8d
      </v1:sectorId>
    </v1:replaceEckIdRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

```

    </v1:replaceEckIdRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

### 3.2.2. Response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <Action xmlns="http://www.w3.org/2005/08/addressing">
      http://id.school/eck/schemas/v1_0/SchoolID/replaceEckIdResponse
    </Action>
    <MessageID xmlns="http://www.w3.org/2005/08/addressing">
      urn:uuid:d906b6fd-3806-45e8-b9c9-d8775fbb6fd7
    </MessageID>
    <To xmlns="http://www.w3.org/2005/08/addressing">
      http://www.w3.org/2005/08/addressing/anonymous?oin=
12345678901234567890
    </To>
    <RelatesTo xmlns="http://www.w3.org/2005/08/addressing">
      uuid:bb3af1a4-55fe-418f-9d65-87217ebe4cc7
    </RelatesTo>
    <From xmlns="http://www.w3.org/2005/08/addressing">
      <Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
00000003272400000000
      </Address>
    </From>
  </soap:Header>
  <soap:Body>
    <replaceEckIdResponse xmlns="http://id.school/eck/schemas/v1_0">
      <eckId>
        https://id.school/pilot/8a8781...96260e
      </eckId>
    </replaceEckIdResponse>
  </soap:Body>
</soap:Envelope>

```

## 3.3. Batch

### 3.3.1. Submit batch request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://id.school/eck/schemas/v1_0"
  xmlns:a="http://www.w3.org/2005/08/addressing">
  <soapenv:Header>
    <a:Action soapenv:mustUnderstand="1">
      http://id.school/eck/schemas/v1_0/submitEckIdBatch
    </a:Action>
    <a:From soapenv:mustUnderstand="1">

```

```

    <a:Address>
http://www.w3.org/2005/08/addressing/anonymous?oin=12345678901234567890
    </a:Address>
  </a:From>
  <a:MessageID soapenv:mustUnderstand="1">
    uuid:47d17105-5aae-4c36-98ed-fe1147f89ee6
  </a:MessageID>
  <a:To soapenv:mustUnderstand="1">
https://service-a.id.school/eck/ws/201509
  </a:To>
</soapenv:Header>
<soapenv:Body>
  <v1:submitEckIdBatchRequest>
    <!--1 or more repetitions:-->
    <v1:stempseudonymList>
      <v1:index>1</v1:index>
      <v1:stempseudonym>Alexa</v1:stempseudonym >
    </v1:stempseudonymList>
    <v1:stempseudonymList>
      <v1:index>3</v1:index>
      <v1:stempseudonym>Bernadette</v1:stempseudonym>
    </v1:stempseudonymList>
    <v1:stempseudonymList>
      <v1:index>5</v1:index>
      <v1:stempseudonym>Christina</v1:stempseudonym>
    </v1:stempseudonymList>
    <v1:stempseudonymList>
      <v1:index>7</v1:index>
      <v1:stempseudonym>Delaney</v1:stempseudonym>
    </v1:hpgnList>
    <v1:chainId>http://purl.edustandaard.nl/begrippenkader/e7ec7d3c-c235-4513-bfb6-e54e66854795</v1:chainId>
    <v1:sectorId>http://purl.edustandaard.nl/begrippenkader/f3ac3fbb-5eae-49e0-8494-0a44855fff25</v1:sectorId>
    </v1:submitEckIdBatchRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

### 3.3.2. Submit batch response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <Action xmlns="http://www.w3.org/2005/08/addressing">
http://id.school/eck/schemas/v1\_0/SchoolID/submitEckIdBatchResponse
    </Action>
    <MessageID xmlns="http://www.w3.org/2005/08/addressing">
      urn:uuid:add7a36a-ceac-41f9-a9fc-1c2fd54543d0
    </MessageID>
  </soap:Header>
  <soap:Body>
    <v1:submitEckIdBatchResponse>
      <v1:stempseudonymList>
        <v1:index>1</v1:index>
        <v1:stempseudonym>Alexa</v1:stempseudonym>
      </v1:stempseudonymList>
      <v1:stempseudonymList>
        <v1:index>3</v1:index>
        <v1:stempseudonym>Bernadette</v1:stempseudonym>
      </v1:stempseudonymList>
      <v1:stempseudonymList>
        <v1:index>5</v1:index>
        <v1:stempseudonym>Christina</v1:stempseudonym>
      </v1:stempseudonymList>
      <v1:stempseudonymList>
        <v1:index>7</v1:index>
        <v1:stempseudonym>Delaney</v1:stempseudonym>
      </v1:hpgnList>
      <v1:chainId>http://purl.edustandaard.nl/begrippenkader/e7ec7d3c-c235-4513-bfb6-e54e66854795</v1:chainId>
      <v1:sectorId>http://purl.edustandaard.nl/begrippenkader/f3ac3fbb-5eae-49e0-8494-0a44855fff25</v1:sectorId>
    </v1:submitEckIdBatchResponse>
  </soap:Body>
</soap:Envelope>

```



```

    <To xmlns="http://www.w3.org/2005/08/addressing">
      http://www.w3.org/2005/08/addressing/anonymous?oin=
12345678901234567890
    </To>
    <RelatesTo xmlns="http://www.w3.org/2005/08/addressing">
      uuid:47d17105-5aae-4c36-98ed-fe1147f89ee6
    </RelatesTo>
    <From xmlns="http://www.w3.org/2005/08/addressing">
      <Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
00000003272400000000
      </Address>
    </From>
  </soap:Header>
  <soap:Body>
    <submitEckIdBatchResponse xmlns="http://id.school/eck/schemas/v1_0">
      <batchIdentifier>
        2016062216374691e0ed3ba7544c71ac7856be9279f15f
      </batchIdentifier>
    </submitEckIdBatchResponse>
  </soap:Body>
</soap:Envelope>

```

### 3.3.3. Retrieve batch request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v1="http://id.school/eck/schemas/v1_0"
  xmlns:a="http://www.w3.org/2005/08/addressing">
  <soapenv:Header>
    <a:Action soapenv:mustUnderstand="1">
      http://id.school/eck/schemas/v1_0/retrieveEckIdBatch
    </a:Action>
    <a:From soapenv:mustUnderstand="1">
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
12345678901234567890
      </a:Address>
    </a:From>
    <a:MessageID soapenv:mustUnderstand="1">
      uuid:4e2a772e-6b6b-4dcf-ab15-58193678e69a
    </a:MessageID>
    <a:To soapenv:mustUnderstand="1">
      https://service-a.id.school/eck/ws/201509
    </a:To>
  </soapenv:Header>
  <soapenv:Body>
    <v1:retrieveEckIdBatchRequest>

```

```

<v1:batchIdentifier>2016062216374691e0ed3ba7544c71ac7856be9279f15f</v1:batchIdentifier>
  </v1:retrieveEckIdBatchRequest>
</soapenv:Body>
</soapenv:Envelope>

```

### 3.3.4. Retrieve batch response

```

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <Action xmlns="http://www.w3.org/2005/08/addressing">
      http://id.school/eck/schemas/v1_0/SchoolID/retrieveEckIdBatchResponse
    </Action>
    <MessageID xmlns="http://www.w3.org/2005/08/addressing">
      urn:uuid:5cd37eef-cb58-4b2c-b8bc-6ccf4cc479ea
    </MessageID>
    <To xmlns="http://www.w3.org/2005/08/addressing">
      http://www.w3.org/2005/08/addressing/anonymous?oin=
      12345678901234567890
    </To>
    <RelatesTo xmlns="http://www.w3.org/2005/08/addressing">
      uuid:4e2a772e-6b6b-4dcf-ab15-58193678e69a
    </RelatesTo>
    <From xmlns="http://www.w3.org/2005/08/addressing">
      <Address>
        http://www.w3.org/2005/08/addressing/anonymous?oin=
        00000003272400000000
      </Address>
    </From>
  </soap:Header>
  <soap:Body>
    <retrieveEckIdBatchResponse
      xmlns="http://id.school/eck/schemas/v1_0">
      <success>
        <index>1</index>
        <eckId>https://id.school/pilot/bcd2a9...12b5b3</eckId>
      </success>
      <success>
        <index>3</index>
        <eckId>https://id.school/pilot/6f4411...fb2cbb</eckId>
      </success>
      <success>
        <index>5</index>
        <eckId>https://id.school/pilot/50e115...212395</eckId>
      </success>
      <success>
        <index>7</index>

```

```
<eckId>https://id.school/pilot/742668...b6cb4</eckId>  
</success>  
</retrieveEckIdBatchResponse>  
</soap:Body>  
</soap:Envelope>
```

## 4. Common types

<b>Name</b>	HPgn
<b>Fields</b>	xsd:string
<b>Constraints</b>	<ul style="list-style-type: none"><li>• Consists of 64 hex characters <math>([0-9][A-Z][a-z])\{64\}</math></li></ul>
<b>Remarks</b>	Contains the result of the prescribed hash function SCrypt

<b>Name</b>	EckId
<b>Fields</b>	xsd:string
<b>Constraints</b>	<ul style="list-style-type: none"><li>• Is not empty</li></ul>
<b>Remarks</b>	

## 5. Exceptions

Exceptions will be presented by the Nummervoorziening Service as Soap faults. To distinguish the cause Exception of an operation at the client, the element faultactor will hold the specific Exception. In the detail node, a message node is added with additional information regarding the Exception.

Example of a Soap fault as a response from the Nummervoorziening Service (omitting the Soap Headers):

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <soap:Fault>
      <faultcode>soap:SERVER</faultcode>
      <faultstring>RetrieveEckIdBatch has thrown an exception while
building the response</faultstring>
      <faultactor>InvalidBatchIdentifierException</faultactor>
      <detail>
        <message>Batch with specified identifier does not
exist</message>
      </detail>
    </soap:Fault>
  </soap:Body>
</soap:Envelope>
```

The reference clients will contain code in Java and C# to handle these faults and distinguish root causes.